



Information from CDC as of 1/28/2020

Criteria to Guide Evaluation of Patients Under Investigation (PUI) for 2019-nCoV

Patients in the United States who meet the following criteria should be evaluated as a PUI in association with the outbreak of 2019-nCoV in Wuhan City, China.

Contact your local or state health department

Healthcare providers should **immediately** notify Logan County Health District at 937-592-9040 or Ohio Department of Health in the event of a PUI for 2019-nCoV.

Clinical features and epidemiologic risk		
Clinical Features	&	Epidemiologic Risk
Fever ¹ and symptoms of lower respiratory illness (e.g., cough, difficulty breathing)	and	In the last 14 days before symptom onset, a history of travel from Wuhan City, China. – or – In the last 14 days before symptom onset, close contact ² with a person who is under investigation for 2019-nCoV while that person was ill.
Fever ¹ or symptoms of lower respiratory illness (e.g., cough, difficulty breathing)	and	In the last 14 days, close contact ² with an ill laboratory-confirmed 2019-nCoV patient.

The criteria are intended to serve as guidance for evaluation. Patients should be evaluated and discussed with public health departments on a case-by-case basis if their clinical presentation or exposure history is equivocal (e.g., uncertain travel or exposure).

Interim Guidance for Healthcare Professionals

Limited information is available to characterize the spectrum of clinical illness associated with 2019-nCoV. No vaccine or specific treatment for 2019-nCoV infection is available; care is supportive.

The CDC clinical criteria for a 2019-nCoV patient under investigation (PUI) have been developed based on what is known about MERS-CoV and SARS-CoV and are subject to change as additional information becomes available.

Health care providers should obtain a detailed travel history for patients being evaluated with fever and acute respiratory illness. CDC guidance for evaluating and reporting a [PUI for MERS-CoV](#) remains unchanged.

Interim Healthcare Infection Prevention and Control Recommendations for Patients Under Investigation for 2019 Novel Coronavirus

Although the transmission dynamics have yet to be determined, CDC currently recommends a cautious approach to [patients under investigation for 2019 Novel Coronavirus](#). Such patients should be asked to wear a surgical mask as soon as they are identified and be evaluated in a private room with the door closed, ideally an airborne infection isolation room if available. Healthcare personnel entering the room should use standard precautions, contact precautions, airborne precautions, and use eye protection (e.g., goggles or a face shield). Immediately notify your healthcare facility's infection control personnel and local health department.

Additional Infection Control Practices Resources

- [Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings](#)
- [World Health Organization \(WHO\) interim guidance on infection prevention and control during health care when novel coronavirus \(nCoV\) infection is suspected](#)